

Air Compressor

100 litres, 2-3 HP

User-friendly
Easy to read oil level gauges



Flexibility
Strong wheels
easy moving

Mobility
Pivot wheels



Pumps with traditional piston and cast iron cylinder



N100/VG3/2
2 hp, 100 litres, lubricated



Model	Part number	L	config.	l/min	Oil	Pump	HP	kW	rpm	Volts	Bar	dB(A)	LxWxH (mm)	kg
N100/VG3/2 HP	310509275	100	C	330	Lubricated	VG3	2	1.5	1570	220/1/60	9	NA	1080x400x800	65

150 litres, 2-3 HP

Performance

Proven and reliable technology



Flexibility

Strong wheels for easy moving

Mobility

Pivot wheels



Applications



Inflating



Blowing



Spray pistoling



Hobby painting



Nailing and stapling

N150/VG3/3

3 hp, 150 litres, lubricated



Model	Part number	L	config.	l/min	Oil	Pump	HP	kW	rpm	Volts	Bar	dB(A)	LxWxH (mm)	kg
N150/VG3/3 HP	204425930	150	C	330	Lubricated	VG3	3	2.2	1570	220/1/60	9	NA	1320x450x920	73

200 litres, 3 HP






Performance
Proven and reliable technology



Mobility
Pivot wheels



Applications

-  Inflating
-  Blowing
-  Spray pistoling
-  Hobby painting
-  Nailing and stapling

N200/VG4/3
3 hp, 200 litres, lubricated



Model	Part number	L	config.	l/min	Oil	Pump	HP	kW	rpm	Volts	Bar	dB(A)	LxWxH (mm)	kg
N200/VG4/3 HP	369989652	200	C	390	Lubricated	VG4	3	2.2	1100	230/1/50	9	NA	1450x460x940	90

300 litres, 4 HP

Performance

Proven and reliable technology 3 PH



Applications



Inflating



Blowing



Spray pistoling



Hobby painting



Nailing and stapling



Flexibility

Strong wheels for easy moving

N300/VG4/4
4 hp 3 Phase. 300 litres



Model	Part number	L	config.	l/min	Oil	Pump	HP	kW	rpm	Volts	Bar	dB(A)	LxWxH (mm)	kg
N300/VG4/4HP	261725406	300	C	480	Lubricated	VG4	4	3	1100	380/3/60	9	NA	1650x570x1120	116


500 litres, 5.5 - 7.5 HP

Performance
Proven and reliable technology



Mobility
Pivot wheels

N500/VG6/5.5
N500/VG6/7.5
500 litres, lubricated



Model	Part number	L	config.	l/min	Oil	Pump	HP	kW	rpm	Volts	Bar	dB(A)	LxWxH (mm)	kg
N500/VG6/5.5HP	552854935	500	C	660	Lubricated	VG6	5.5	4	1400	380/3/60	10	NA	2030x680x1310	248
N500/VG6/7.5HP	503705333	500	C	827	Lubricated	VG6	7.5	5.5	1400	380/3/60	10	NA	2030x680x1310	254